

## STATE OF NORTH CAROLINA DEPARTMENT OF TRANSPORTATION

ROY COOPER GOVERNOR JAMES H. TROGDON, III
SECRETARY

September 14, 2017

Addendum No. 2

RE: Contract # C204039

WBS # 34243.3.2

STATE FUNDED Polk County (I-4729A)

I-26/US-74/NC-108 Interchange Modifications in the Town Of Columbus

September 19, 2017 Letting

To Whom It May Concern:

Reference is made to the proposal form furnished to you on this project.

The following revisions have been made to the proposal:

| Page No.          | Revisions   |
|-------------------|---|
| Proposal Cover    | Note added that reads "Includes Addendum No. 2 Dated 09-14-2017".                             |
| Table of Contents | Revised to add "INTERMEDIATE CONTRACT TIME NUMBER 3 AND LIQUIDATED DAMAGES" special provision |
| G-2 thru G-5      | Special Provision added entitled "INTERMEDIATE CONTRACT TIME NUMBER 3 AND LIQUIDATED DAMAGES" |
| EC-22             | Special Provision added entitled "STREAM CHANNEL RELOCATION WORK"                             |

Please void the above listed pages in your proposal and staple the revised pages thereto.

The contract will be prepared accordingly.

Sincerely,

-DocuSigned by

Ronald E. Davenport, Ir.

Ronald. E. Davenport, Jr., PE

State Contract Officer

Mailing Address:
NC DEPARTMENT OF TRANSPORTATION
CONTRACT STANDARDS AND DEVELOPMENT
1591 MAIL SERVICE CENTER
RALEIGH, NC 27699-1591

Telephone: (919) 707-6900 Fax: (919) 250-4127 Customer Service: 1-877-368-4968

Location: 1020 BIRCH RIDGE DR. RALEIGH, NC 27610

Website: www.ncdot.gov

#### RED/jjr Attachments

Mr. Lamar Sylvester, PE cc:

Mr. Brian Burch, PE Mr. Chris Werner, PE Mr. Ken Kennedy, PE Mr. Jon Weathersby, PE

Ms. Jaci Kincaid

Project File (2)

Mr. Ray Arnold, PE

Ms. Theresa Canales, PE

Mr. Brian Hanks, PE

Mr. Mike Gwyn

Ms. Penny Higgins

Mr. Mitchell Dixon

Ms. Lori Strickland

# STATE OF NORTH CAROLINA DEPARTMENT OF TRANSPORTATION RALEIGH, N.C.

#### <u>PROPOSAL</u>

## INCLUDES ADDENDUM No. 1 DATED 08-31-2017 INCLUDES ADDENDUM No. 2 DATED 09-14-2017

DATE AND TIME OF BID OPENING: SEPTEMBER 19, 2017 AT 2:00 PM

CONTRACT ID

C204039

WBS

34243.3.2

FEDERAL-AID NO. STATE FUNDED

COUNTY

POLK

T.I.P. NO.

I-4729A

MILES

0.679

ROUTE NO.

I 26

LOCATION

I-26/US-74/NC-108 INTERCHANGE MODIFICATION IN THE TOWN

OF COLUMBUS.

TYPE OF WORK

GRADING, DRAINAGE, PAVING, SIGNING, AND STRUCTURES.

#### NOTICE:

ALL BIDDERS SHALL COMPLY WITH ALL APPLICABLE LAWS REGULATING THE PRACTICE OF GENERAL CONTRACTING AS CONTAINED IN CHAPTER 87 OF THE GENERAL STATUTES OF NORTH CAROLINA WHICH REQUIRES THE BIDDER TO BE LICENSED BY THE N.C. LICENSING BOARD FOR CONTRACTORS WHEN BIDDING ON ANY NON-FEDERAL AID PROJECT WHERE THE BID IS \$30,000 OR MORE, EXCEPT FOR CERTAIN SPECIALTY WORK AS DETERMINED BY THE LICENSING BOARD. BIDDERS SHALL ALSO COMPLY WITH ALL OTHER APPLICABLE LAWS REGULATING THE PRACTICES OF ELECTRICAL, PLUMBING, HEATING AND AIR CONDITIONING AND REFRIGERATION CONTRACTING AS CONTAINED IN CHAPTER 87 OF THE GENERAL STATUTES OF NORTH CAROLINA. NOTWITHSTANDING THESE LIMITATIONS ON BIDDING, THE BIDDER WHO IS AWARDED ANY FEDERAL - AID FUNDED PROJECT SHALL COMPLY WITH CHAPTER 87 OF THE GENERAL STATUTES OF NORTH CAROLINA FOR LICENSING REQUIREMENTS WITHIN 60 CALENDAR DAYS OF BID OPENING.

BIDS WILL BE RECEIVED AS SHOWN BELOW:

THIS IS A ROADWAY PROPOSAL

5% BID BOND OR BID DEPOSIT REQUIRED

#### **TABLE OF CONTENTS**

### COVER SHEET PROPOSAL SHEET

#### **PROJECT SPECIAL PROVISIONS**

| CONTRACT TIME AND LIQUIDATED DAMAGES:                              | G-1                      |
|--|--------------------------|
| INTERMEDIATE CONTRACT TIME NUMBER 1, BONUS CLAUSE AND LIQUID       | DATED                    |
| DAMAGES:   | G-1                      |
| DAMAGES:INTERMEDIATE CONTRACT TIME NUMBER 2 AND LIQUIDATED DAMAGES | : G-2                    |
| INTERMEDIATE CONTRACT TIME NUMBER 3 AND LIQUIDATED DAMAGES         | : G-2                    |
| PERMANENT VEGETATION ESTABLISHMENT:                                | G-3                      |
| MAJOR CONTRACT ITEMS:  |                          |
| SPECIALTY ITEMS:   | G-3                      |
| FUEL PRICE ADJUSTMENT:   | G-4                      |
| SCHEDULE OF ESTIMATED COMPLETION PROGRESS:                         | G-4                      |
| MINORITY BUSINESS ENTERPRISE AND WOMEN BUSINESS ENTERPRISE:        | G-4                      |
| SUBSURFACE INFORMATION:  | G-18                     |
| LOCATING EXISTING UNDERGROUND UTILITIES:                           | G-19                     |
| VALUE ENGINEERING PROPOSAL:  | G-19                     |
| RESOURCE CONSERVATION AND ENV. SUSTAINABLE PRACTICES:              | G-20                     |
| DOMESTIC STEEL:  | G-21                     |
| PORTABLE CONCRETE BARRIER - (Partial Payments for Materials):      |                          |
| MAINTENANCE OF THE PROJECT:  |                          |
| TWELVE MONTH GUARANTEE:  |                          |
| OUTSOURCING OUTSIDE THE USA:                                       | G-22                     |
| IRAN DIVESTMENT ACT:   | G-23                     |
| GIFTS FROM VENDORS AND CONTRACTORS:                                |                          |
| LIABILITY INSURANCE:   |                          |
| EROSION AND SEDIMENT CONTROL/STORMWATER CERTIFICATION:             |                          |
| PROCEDURE FOR MONITORING BORROW PIT DISCHARGE:                     |                          |
| EMPLOYMENT:  | G-30                     |
| STATE HIGHWAY ADMINISTRATOR TITLE CHANGE:                          |                          |
| SUBLETTING OF CONTRACT:  | G-31                     |
|  |                          |
| ROADWAY  | R-1                      |
|  |                          |
| CTANDADD CRECIAL BROWLEIONG  |                          |
| STANDARD SPECIAL PROVISIONS  |                          |
| AVAILABILITY FUNDS – TERMINATION OF CONTRACTS                      | CCD 1                    |
| NCDOT GENERAL SEED SPECIFICATION FOR SEED QUALITY                  |                          |
| ERRATA   |                          |
| PLANT AND PEST QUARANTINES   | C- 1007<br>7 <b>T</b> 22 |
| MINIMUM WAGES  |                          |
| AWARD OF CONTRACT  | 0-422<br>0-422           |
| ON-THE-JOB TRAINING  |                          |
| NCDENR NAME CHANGE   |                          |

#### **UNIT PROJECT SPECIAL PROVISIONS**

| GEOTECHNICAL         |      |
|----------------------|------|
| SIGNING              |      |
| TRAFFIC CONTROL      |      |
| EROSION CONTROL      |      |
| STRUCTURE / CULVERTS | ST-1 |
| PERMITS              | P-1  |

#### **PROPOSAL ITEM SHEET**

ITEM SHEET(S) (TAN SHEETS)

Upon apparent completion of all the work required to be completed by this intermediate date, a final inspection will be held in accordance with Article 105-17 and upon acceptance, the Department will assume responsibility for the maintenance of all work except *Planting, Reforestation* and/or *Permanent Vegetation Establishment*. The Contractor will be responsible for and shall make corrections of all damages to the completed roadway caused by his planting operations, whether occurring prior to or after placing traffic through the project.

#### **INTERMEDIATE CONTRACT TIME NUMBER 2 AND LIQUIDATED DAMAGES:**

(2-20-07) (Rev. 6-18-13)

108

SP1 G14 H

The Contractor shall complete the work required of **Phase IIB**, **Steps #3 thru #5** as shown on Sheet **TMP-3** and shall place and maintain traffic on same.

The date of availability for this intermediate contract time is the date the Contractor elects to begin the work.

The completion date for this intermediate contract time is the date which is **forty (40)** consecutive calendar days after and including the date the Contractor begins this work.

The liquidated damages are **Two Thousand Dollars** (\$2,000.00) per calendar day.

#### **INTERMEDIATE CONTRACT TIME NUMBER 3 AND LIQUIDATED DAMAGES:**

(2-20-07) (Rev. 10-15-13)

108

SP1 G14 E

The Contractor shall complete the required work of installing, maintaining and removing the traffic control devices for road closures and restoring traffic to the existing traffic pattern. The Contractor shall not close **I-26** during the following time restrictions:

#### **DAY AND TIME RESTRICTIONS**

### Monday thru Sunday 6:00 AM to 9:00 PM

The maximum allowable time for girder installation is **thirty (30)** minutes for **I-26**. The Contractor shall reopen the travel lanes to traffic until any resulting traffic queue is depleted.

The time of availability for this intermediate contract time will be the time the Contractor begins to install traffic control devices required for the road closures according to the time restrictions stated herein.

The completion time for this intermediate contract time will be the time the Contractor is required to complete the removal of traffic control devices required for the road closures according to the time restrictions stated herein and restore traffic to the existing traffic pattern.

The liquidated damages are Five Thousand Dollars (\$ 5,000.00) per thirty (30) minute time period.

#### PERMANENT VEGETATION ESTABLISHMENT:

(2-16-12) (Rev. 10-15-13)

104

SP1 G16

Establish a permanent stand of the vegetation mixture shown in the contract. During the period between initial vegetation planting and final project acceptance, perform all work necessary to establish permanent vegetation on all erodible areas within the project limits, as well as, in borrow and waste pits. This work shall include erosion control device maintenance and installation, repair seeding and mulching, supplemental seeding and mulching, mowing, and fertilizer topdressing, as directed. All work shall be performed in accordance with the applicable section of the 2012 Standard Specifications. All work required for initial vegetation planting shall be performed as a part of the work necessary for the completion and acceptance of the Intermediate Contract Time (ICT). Between the time of ICT and Final Project acceptance, or otherwise referred to as the vegetation establishment period, the Department will be responsible for preparing the required National Pollutant Discharge Elimination System (NPDES) inspection records.

Once the Engineer has determined that the permanent vegetation establishment requirement has been achieved at an 80% vegetation density (the amount of established vegetation per given area to stabilize the soil) and no erodible areas exist within the project limits, the Contractor will be notified to remove the remaining erosion control devices that are no longer needed. The Contractor will be responsible for, and shall correct any areas disturbed by operations performed in permanent vegetation establishment and the removal of temporary erosion control measures, whether occurring prior to or after placing traffic on the project.

Payment for Response for Erosion Control, Seeding and Mulching, Repair Seeding, Supplemental Seeding, Mowing, Fertilizer Topdressing, Silt Excavation, and Stone for Erosion Control will be made at contract unit prices for the affected items. Work required that is not represented by contract line items will be paid in accordance with Articles 104-7 or 104-3 of the 2012 Standard Specifications. No additional compensation will be made for maintenance and removal of temporary erosion control items.

#### **MAJOR CONTRACT ITEMS:**

(2.10.00)

SP1 G28

The following listed items are the major contract items for this contract (see Article 104-5 of the 2012 Standard Specifications):

#### Line # Description

6 — Unclassified Excavation

206 — Class A Concrete (Culvert)

#### **SPECIALTY ITEMS:**

(7-1-95)(Rev. 1-17-12)

108-6

SP1 G37

Items listed below will be the specialty items for this contract (see Article 108-6 of the 2012 Standard Specifications).

| Line#                      | Description                 |
|----------------------------|-----------------------------|
| 85 thru 95                 | Guardrail                   |
| 96 thru 98                 | Fencing                     |
| 105 thru 127               | Signing                     |
| 148 thru 155               | Long-Life Pavement Markings |
| 162 thru 163               | Permanent Pavement Markers  |
| 169 thru 198, 201 thru 203 | Erosion Control             |
| 199 thru 200               | Reforestation               |
| 218 thru 219, 221 thru 222 | Drilled Piers               |

#### **FUEL PRICE ADJUSTMENT:**

(11-15-05) (Rev. 2-18-14)

109-8

SP1 G43

Revise the 2012 Standard Specifications as follows:

#### Page 1-83, Article 109-8, Fuel Price Adjustments, add the following:

The base index price for DIESEL #2 FUEL is \$ 1.6761 per gallon. Where any of the following are included as pay items in the contract, they will be eligible for fuel price adjustment.

The pay items and the fuel factor used in calculating adjustments to be made will be as follows:

| Description                                    | Units   | Fuel Usage<br>Factor Diesel |
|--|---------|-----------------------------|
| Unclassified Excavation                        | Gal/CY  | 0.29                        |
| Borrow Excavation                              | Gal/CY  | 0.29                        |
| Class IV Subgrade Stabilization                | Gal/Ton | 0.55                        |
| Aggregate Base Course                          | Gal/Ton | 0.55                        |
| Sub-Ballast                                    | Gal/Ton | 0.55                        |
| Asphalt Concrete Base Course, Type             | Gal/Ton | 2.90                        |
| Asphalt Concrete Intermediate Course, Type     | Gal/Ton | 2.90                        |
| Asphalt Concrete Surface Course, Type          | Gal/Ton | 2.90                        |
| Open-Graded Asphalt Friction Course            | Gal/Ton | 2.90                        |
| Permeable Asphalt Drainage Course, Type        | Gal/Ton | 2.90                        |
| Sand Asphalt Surface Course, Type              | Gal/Ton | 2.90                        |
| Aggregate for Cement Treated Base Course       | Gal/Ton | 0.55                        |
| Portland Cement for Cement Treated Base Course | Gal/Ton | 0.55                        |
| " Portland Cement Concrete Pavement            | Gal/SY  | 0.245                       |
| Concrete Shoulders Adjacent to " Pavement      | Gal/SY  | 0.245                       |

#### SCHEDULE OF ESTIMATED COMPLETION PROGRESS:

(7-15-08) (Rev. 5-16-17)

108-2

SP1 G58

The Contractor's attention is directed to the Standard Special Provision entitled *Availability of Funds Termination of Contracts* included elsewhere in this proposal. The Department of Transportation's schedule of estimated completion progress for this project as required by that Standard Special Provision is as follows:

| Fiscal Year |                     | Progress (% of Dollar Value) |
|-------------|---------------------|------------------------------|
| 2018        | (7/01/17 - 6/30/18) | 92% of Total Amount Bid      |
| 2019        | (7/01/18 - 6/30/19) | 8% of Total Amount Bid       |

The Contractor shall also furnish his own progress schedule in accordance with Article 108-2 of the 2012 Standard Specifications. Any acceleration of the progress as shown by the Contractor's progress schedule over the progress as shown above shall be subject to the approval of the Engineer.

#### **MINORITY BUSINESS ENTERPRISE AND WOMEN BUSINESS ENTERPRISE:**

(10-16-07)(Rev. 1-17-17)

102-15(J)

SP1 G66

#### **Description**

The purpose of this Special Provision is to carry out the North Carolina Department of Transportation's policy of ensuring nondiscrimination in the award and administration of contracts financed in whole or in part with State funds.

#### **Definitions**

Additional MBE/WBE Subcontractors - Any MBE/WBE submitted at the time of bid that will <u>not</u> be used to meet either the MBE or WBE goal. No submittal of a Letter of Intent is required, unless the additional participation is used for banking purposes.

Committed MBE/WBE Subcontractor - Any MBE/WBE submitted at the time of bid that is being used to meet either the MBE or WBE goal by submission of a Letter of Intent. Or any MBE or WBE used as a replacement for a previously committed MBE or WBE firm.

Contract Goals Requirement - The approved MBE and WBE participation at time of award, but not greater than the advertised contract goals for each.

Goal Confirmation Letter - Written documentation from the Department to the bidder confirming the Contractor's approved, committed MBE and WBE participation along with a listing of the committed MBE and WBE firms.

*Manufacturer* - A firm that operates or maintains a factory or establishment that produces on the premises, the materials or supplies obtained by the Contractor.

*MBE Goal* - A portion of the total contract, expressed as a percentage, that is to be performed by committed MBE subcontractor(s).

Minority Business Enterprise (MBE) - A firm certified as a Disadvantaged Minority-Owned Business Enterprise through the North Carolina Unified Certification Program.

Regular Dealer - A firm that owns, operates, or maintains a store, warehouse, or other establishment in which the materials or supplies required for the performance of the contract are bought, kept in stock, and regularly sold to the public in the usual course of business. A regular dealer engages in, as its principal business and in its own name, the purchase and sale or lease of the products in question. A regular dealer in such bulk items as steel, cement, gravel, stone, and petroleum products need not keep such products in stock, if it owns and operates distribution equipment for the products. Brokers and packagers are not regarded as manufacturers or regular dealers within the meaning of this section.

North Carolina Unified Certification Program (NCUCP) - A program that provides comprehensive services and information to applicants for MBE/WBE certification. The MBE/WBE program follows the same regulations as the federal Disadvantaged Business Enterprise (DBE) program in accordance with 49 CFR Part 26.

*United States Department of Transportation (USDOT)* - Federal agency responsible for issuing regulations (49 CFR Part 26) and official guidance for the DBE program.

WBE Goal - A portion of the total contract, expressed as a percentage, that is to be performed by committed WBE subcontractor(s).

Women Business Enterprise (WBE) - A firm certified as a Disadvantaged Women-Owned Business Enterprise through the North Carolina Unified Certification Program.

#### Forms and Websites Referenced in this Provision

Payment Tracking System - On-line system in which the Contractor enters the payments made to MBE and WBE subcontractors who have performed work on the project. https://apps.dot.state.nc.us/Vendor/PaymentTracking/

DBE-IS Subcontractor Payment Information - Form for reporting the payments made to all MBE/WBE firms working on the project. This form is for paper bid projects only. https://connect.ncdot.gov/business/Turnpike/Documents/Form%20DBE-

IS%20Subcontractor%20Payment%20Information.pdf

RF-1 MBE/WBE Replacement Request Form - Form for replacing a committed MBE or WBE.

Payment will be made under:

Pay Item Pay Unit

Coir Fiber Mat Square Yard

#### **STREAM CHANNEL RELOCATION WORK:**

The Contractor performing the stream relocation work on this project shall be on NCDOT's Approved Pre-Qualified List for Stream Restoration and Construction (Work Code 1601).

#### STREAM CHANNEL RELOCATION LIMITATIONS:

The following sequence of construction shall be followed in the areas designated on the plans as stream relocations. Failure on the part of the Contractor to follow this sequence, and complete each step prior to proceeding in this area as specified, will be just cause for the Engineer to direct the suspension of work in accordance with Article 108-7 of the Standard Specifications.

- (A) Clear, but do not grub area within the Environmentally Sensitive Area on the existing stream to be relocated.
- (B) Construct and stabilize, with vegetation or erosion control materials sufficient to restrain erosion, the proposed stream channel relocation as shown on the plans.
- (C) Divert water into newly constructed channel only after it has been stabilized and approved.
- (D) Begin grubbing and/or grading within the Environmentally Sensitive Area of the existing stream.

The Contractor shall perform seeding and mulching and install erosion control matting to all cut/fill slopes adjacent to stream relocations in accordance with the contract.

The above requirements apply to the stream channels being constructed at the following stations:

Approx. Sta. 12+00 to 20+15 -RP E- RT

#### STREAMBANK REFORESTATION:

#### **Description**

Streambank Reforestation will be planted in areas designated on the plans and as directed. See the Streambank Reforestation Detail Sheets.

The entire *Streambank Reforestation* operation shall comply with the requirements of Section 1670 of the *Standard Specifications*.

#### Materials

ItemSectionCoir Fiber Mat1060-14

Live Stakes:

Type I Streambank Reforestation shall be live stakes, planted along both streambanks. Live stakes shall be ½"-2" in diameter. Stakes shall also be 2 ft. - 3 ft. in length.